

# INDEX

| (pipe symbol), 93  
!, delimit search, 286  
/, use in search, 286  
\, use in search, 286  
=~ operator, string manipulation, 384

## A

access log, log analysis  
    described, 197  
    environment variables, 198  
Admin\_files, Web store subdirectory, 21  
anchors, string manipulation, 382, 383  
*and* methodology, HTML store, 84  
associative array key, shopping cart, 224  
associative arrays, CGI programming  
    techniques in Perl, 375, 376  
    accessing, 377, 378  
arrays referencing, JavaScript extensions, 140

## B

bad order note, in HTML library, 264, 265

## C

calculate\_discount subroutine, order  
    library, 320  
calculate\_final\_values subroutine, order  
    library, 316-319  
calculate\_general\_logic subroutine, order  
    library, 320-324

calculate\_sales\_tax subroutine, order  
    library, 324, 325  
calculate\_shipping subroutine, order  
    library, 319, 320  
cart. *See also* shopping cart  
cart definition variables  
    Database store, 103, 104  
    HTML store, 81, 82  
    Web store setup, 50  
cart footer, defining in HTML library,  
    263, 264  
cart table footer, defining in HTML  
    library, 275  
cart table header, defining in HTML  
    library, 265, 266  
CD-Now, 1  
CD-ROM directory structure, 355-357  
    UNIX specifics, 357  
        assumptions, 358  
        installation, 357, 358  
    Windows 95 specifics, 358  
        assumptions, 359  
        installation, 358, 359  
        README.95, 360  
    Windows NT specifics, 358  
        assumptions, 359  
        installation, 358, 359  
        README.NT, 360

- CGI
    - errors, printing, 353, 354
    - library, 347, 352, 353
      - form variables, reading and parsing, 353
  - CGI programming techniques in Perl, 361
    - associative arrays, 375, 376
      - accessing, 377, 378
    - control structures, 385
      - elsif control statement, 386, 387
      - foreach loop, 387
      - if control statement, 386, 387
      - logical operators, using, 389
      - statement blocks, 385
      - unless control statement, 386, 387
      - while loop, 387
    - file management, 390
      - directories, opening, reading and closing, 394, 395
      - file tests, 393, 394
      - opening and closing files, 390, 391
      - permissions, deleting, renaming and changing, 392, 393
      - reading file by line, 391
      - writing and appending to files, 391, 392
    - list arrays, 371, 372
      - adding elements to, 373
      - deleting and replacing list elements, 373
      - manipulation operators, 375
      - pop function, 374
      - push function, 374
      - quantifying elements of, 372
      - shift function, 374
      - unshift function, 374
    - scalar variable, 367-369
      - cropping using chop function, 369, 370
      - dot (.) operator, 369
      - length, finding, 370
        - substrings, manipulating, 370, 371
      - strings, manipulating, 378
        - =~ operator, 384
        - anchors, 382, 383
        - equality operators, 378-380
        - join function, 284, 285
        - matching operators, 381, 382
        - pattern matching with //, 381
        - regular expressions, 380
        - split function, 384, 385
        - string modifiers, 383, 384
      - web browser, sending text to, 362
        - here documents*, 363-365
        - print function, 362, 363
        - printf function, 365-367
        - qq, 365
        - sprintf function, 365-367
    - check\_db\_with\_product\_id subroutine, Database search library, 292, 293
    - check\_path subroutine, setup checking script, 342-344
    - chmod 777, use of in permissions setup, 18
    - compare\_logic\_values subroutine, order library, 325-327
    - control structures, CGI programming techniques in Perl, 385
      - elsif control statement, 386, 387
      - foreach loop, 387
      - if control statement, 386, 387
      - logical operators, using, 389
      - statement blocks, 385
      - unless control statement, 386, 387
      - while loop, 387
    - cost changes due to options, calculating, 229
    - cropping, scalar variable, 369, 370
    - customer perspective, shopping, 7-9
      - maintaining state, 8
- ## D
- Data\_files, Web store subdirectory, 21
  - data range queries, creating, 122, 123

- database definition variables, Web store
  - setup
  - described, 44
  - field data type, 47
  - form variable name, 46
  - index into the database, 46
  - listed, 45, 46
  - operator for comparison, 46, 47
- Database search library, 291
  - case examples
    - data comparisons, 299-302
    - form variable contains no search value, 298
    - full string-based keyword search, 303, 304
  - check\_db\_with\_product\_id subroutine, 292, 293
  - flatfile\_apply\_criteria subroutine, 296-298
  - global variables, 291, 292
  - submit\_query subroutine, 293-296
- Database store
  - benefits of, 94, 95
  - cart definition variables, 103, 104
  - configuring to Query-driven, 111, 112
  - described, 95
  - error message variables, 104
  - global file location variables, 95-98
    - hyperlinking to product page list, 96
  - page variable, 97
  - subdirectories, defining, 97
  - HTML search variables, 104
  - maintaining state, tags for, 98, 99
  - miscellaneous variables, 105
  - options, 105-109
    - described, 105
    - product page with, 106
    - Values, 108
  - order form definition variables, 105
  - product page, 94
  - products, defining with database definition variable/datafile
    - data type of filed, 103
    - date file, described, 99, 100
    - fields, counting of, 101
    - form variable name, 102
    - index into database that criteria applies, 102
    - NAME value, interpreting, 100
    - operator for comparison, 102, 103
    - pipe characters, 100
  - Query-driven store, similarities with, 111
  - setup file customizing, 95
  - store option variables, 104
  - utilizing, requirements for, 109, 110
  - vs. HTML store, 93
- Databased-search engine vs. HTML, 83
- date format, date query mechanism, 123
- delete form footer, defining in HTML library, 262, 263
- discount
  - calculation, defining in order processing setup, 165
  - additional calculations done after submitting orders, 168
  - calculation order, 165, 166
  - calculations done at different times, 167
  - calculations done at the same time, 166, 167
  - numeric variable considerations, 165
  - specifying calculations, 165
- logic, defining in order processing setup, 169
  - as percentage of subtotal, 170
  - dependent on measure quantity, 172
  - dependent on shipping type, 170, 171
  - dependent on zip code and shipping type, 171, 172
  - independent of form variables, 169
  - summary, 172, 173

display\_calculations subroutine, order library, 310, 311  
 display cart table, defining in HTML library, 266-275  
 display\_order\_form\_subroutine, order library, 307-310  
 display query form subroutine, log analysis script, 333  
 display search results subroutine, log analysis script, 331-333  
 dot (.) operator, scalar variable, 369

## E

elsif control statement, control structures, 386, 387  
 email library, 347, 350, 351  
   real\_send\_mail\_subroutine, 351, 352  
   send\_mail subroutine, 351  
 encoding product pages, HTML store customizing, syntax, 80  
   goal of, 79  
   pointing pages accurately, 79  
 equality operators, string manipulation, 378-380  
 error  
   check form data, main script, 218, 219  
   log, log analysis, 199  
   logging, store management, 6  
   message variables  
     Database store, 104  
     HTML store, 85  
     Web store setup, 59  
 events, 137, 138  
 exact value queries, creating, 120, 121  
 extensions. *See* JavaScript extensions; VBScript extensions

## F

file management, CGI programming techniques in Perl, 390  
   directories, opening, reading and

  closing, 394, 395  
     file tests, 393, 394  
     opening and closing files, 390, 391  
     permissions, deleting, renaming and changing, 392, 393  
     reading file by line, 391  
     writing and appending to files, 391, 392  
 file open errors, opening in main script, 245  
 \_FILE\_ Perl variable, 216, 217  
 find keywords subroutine, keyword search library, 287-289  
 flatfile\_apply\_criteria subroutine, Database search library, 296-298  
 foreach loop, control structures, 387  
 form variables, reading and parsing in CGI library, 353  
 format\_text\_field subroutine, order library, 312  
 <FRAME>, 128, 129  
 frames interface  
   appropriateness in Web store, 127, 128  
   basic components of, 128  
     <FRAME>, 128, 129  
     <FRAMESET>, 128  
     <NOFRAMES>, 129  
   described, 127  
   recursive frames, 133  
   Web store, setting up to use frames, 129-133  
     backend considerations, 129  
 <FRAMESET>, 128  
 front page, displaying main script, 223, 224

## G

general keyword queries, creating, 118, 119  
 get\_path\_from\_full\_filename subroutine, setup checking script, 345  
 GetNextEntry subroutine, keyword

- search library, 289, 290
  - global file location variables
    - Database store, 95-98
      - hyperlinking to product page list, 96
      - page variable, 97
      - subdirectories, defining, 97
    - HTML store, 75-77
      - filtering requested pages, 76
      - list of products page, 76, 77
      - subdirectories, 77
    - Web store setup, 41-44
      - changing values, 42
      - virtual servers and, 42
  - global variables
    - Database search library, 291, 292
    - definition and setup, setup checking script, 337, 338
    - definitions subroutine, log analysis script, 329, 330
  - graphical Submit button, 210
  - ~gt~
    - changing to greater than sign, main script, 227
    - Database store, 100
- ## H
- here documents*, string manipulation, 363-365
  - hidden fields, automatically generating in HTML library, 275-277
  - HTML header, displaying, keyword search library, 280
  - HTML library, 257
    - bad order note, defining, 264, 265
    - cart footer, defining, 263, 264
    - cart table footer, defining, 275
    - cart table header, defining, 265, 266
    - display cart table, defining, 266-275
    - delete form footer, defining, 262, 263
    - hidden fields, automatically generating, 275-277
    - HTML search
      - body, defining, 277, 278
      - no hits found in, displaying, 277
      - page footer, 260, 261
    - modify form footer, defining, 262
    - product page
      - creating, 259, 260
      - header, creating, 257, 258
    - standard page header, defining, 261
    - Web store setup
      - routines, 69-71
      - understanding, 63
  - HTML page, displaying pre-designed, main script, 245
    - cart row number with counter, obtaining unique, 247-249
    - date, obtaining, 251, 252
    - error log, updating, 249-251
    - lockfile
      - creating, 253, 254
      - deleting, 254, 255
    - price
      - displaying, 252, 253
      - formatting, 255, 256
  - HTML search, HTML library
    - body, defining, 277, 278
    - no hits found in, displaying, 277
    - page footer, 260, 261
  - HTML search variables
    - Database store, 104
    - Web store setup, 58
  - HTML store
    - benefits of using, 74
    - cart definition variables, 81, 82
    - described, 73
    - encoding product pages
      - customizing, syntax, 80
      - goal of, 79
      - pointing pages accurately, 79
    - error message variables, 85
    - global file location variables, 75-77
      - filtering requested pages, 76

- list of products page, 76, 77
- subdirectories, 77
- item definition, 80, 88
  - <IMG SRC> tag, 81
  - vowels.html, code for, 88
- maintaining state, tags for, 77-79
- miscellaneous variables, 85
- options, 85-88
  - described, 85
  - i.d. of time option is associated with, 86
  - option flag, 86
  - unique sequence number of option, 86
- order form definition variables, 83, 84
- popularity of, 73
- search variables, 83
  - and* methodology, 84
  - list of hits page, 85
  - vs. Databased-search engine, 83
- setup file, changes to, 75
- store option variables, 83
- utilizing, requirements for, 91, 92
- vs. Database store, 93
- HTMLDie subroutine, setup checking script, 344, 345
- HTMLMsg subroutine, setup checking script, 344

## I

- i.d. number, assigning shopping cart, 222, 223
- if control statement, control structures, 386, 387
- IIS for NT, running Web store on, 29, 30
- Images, Web store subdirectory, 22
- installation failure, permissions setup and, 19
- Internet Information Server. *See* IIS
- item definition, HTML store, 80, 88
  - <IMG SRC> tag, 81
  - vowels.html, code for, 88

## J

- JavaScript extensions, 135-144
  - arrays referencing, 140
  - described, 135, 136
  - events, 137
  - parsing strings, 140
  - polymorphic variables, 142
  - qq!, 144
  - setup file, changes to, 138-144
  - using, 136, 137
- join function, string manipulation, 284, 285

## K

- Key function, assigning shopping cart, 221
- keyword search library, 279
  - find keywords subroutine, 287-289
  - GetNextEntry subroutine, 289, 290
  - HTML header, displaying, 280
  - operating environment, defining, 279, 280
  - search, performing, 280
    - end of search, 282, 283
    - file must be searched, 284, 285
    - no more fields in current directory, 282
  - search hits, displaying, 285, 286

## L

- Library, Web store subdirectory, 24, 25
- library files, script readability, 68
- `_LINE_` Perl variable, 216, 217
- list arrays, CGI programming techniques in Perl, 371, 372
  - adding elements to, 373
  - deleting and replacing list elements, 373
  - manipulation operators, 375
  - pop function, 374
  - push function, 374
  - quantifying elements of, 372
  - shift function, 374
  - unshift function, 374
- list of hits page, HTML store, 85

- list of product pages, 22, 23
- lockfile
  - creating, 253, 254
  - deleting, 254, 255
- log analysis, 197
  - access log
    - described, 197
    - environment variables, 198
  - error log, 199
  - log analysis script, 199
    - log file raw dump, 201
    - query form, 200
- log analysis script, 329
  - display query form, 333
  - display search results, 331-333
  - global variable definitions, 329, 330
  - log\_analyzer\_query\_form
    - subroutine, 333, 334
  - log\_analyzer\_query\_return\_header
    - subroutine, 334, 335
  - log\_analyzer\_return\_footer subroutine, 335
    - main routine, 330, 331
  - log\_analyzer\_query\_form subroutine, log analysis script, 333, 334
  - log\_analyzer\_query\_return\_header subroutine, log analysis script, 334, 335
  - log\_analyzer\_return\_footer subroutine, log analysis script, 335
- M**
- mail-lib.pl, setting up for nonencrypted orders, 173
- main script
  - adding to shopping cart, 224-231
    - appending ordered items to \$cart-row, 230
  - associative array key, 224
  - cost changes due to options, calculating, 229
  - counter subroutine, 230
  - error reporting, handling, 231
  - ~gt~, changing to greater than sign, 227
  - incoming items for non-processing, 225
  - ~lt~, changing to less than sign, 227
  - modifying times with options applied, 227
  - option information, 225
  - ~qq~, changing to double quote, 227
  - quantity value conditions, 226
  - variables, clearing out for use, 227
- assigning shopping cart, 220
- checking existing cart list, 222
- creating cart, 223
- Key function, 221
- i.d. number, creating unique for cart, 222, 223
- cart contents, displaying, 244, 245
- delete item, displaying, 236
- deleting
  - items from cart, 236-238
  - old carts, 219, 220
- error check form data, 218, 219
- file open errors, opening, 245
- front page, displaying, 223, 224
- HTML page, displaying pre-designed, 245
  - cart row number with counter, obtaining unique, 247-249
  - date, obtaining, 251, 252
  - error log, updating, 249-251
  - lockfile
    - creating, 253, 254
    - lockfile, 254, 255
  - price
    - displaying, 252, 253
    - formatting, 255, 256
- main script logic, decoding, 208
  - cart manipulation options, displaying customer cart with, 211, 215
  - cart times, changing quantity of,

- 212, 215
  - change quantity form, displaying, 211, 212, 215
  - delete item form, displaying, 212, 215
  - deleting items from cart, 212, 215
  - front page, displaying, 214, 216
  - order form, displaying, 212, 216
  - products, categories and
    - miscellaneous pages, displaying, 213, 214, 216
  - self-referencing script, 210
  - shopping cart, adding item to, 211, 215
  - submitting the order, 212, 213
  - web\_store.cgi, logic for, 209
  - operating environment, defining, 205
    - cart i.d., assigning unique, 208
    - caveats in, 207
    - crucial state variables, 207
    - incoming data, processing, 206, 207
    - secondary supporting libraries, supporting, 206
    - security precautions, 207
  - output modify quantity form, 232
  - product pages, creating dynamically
    - generated from database, 239
    - checking page display, 240
    - database rows, displaying, 241
    - formatting fields, 243
    - querying database for incoming product variable value, 241
    - printing database fields to browser, 242
  - products for sale, displaying, 238, 239
  - quantity of cart item items,
    - modifying, 232
    - creating array of valid keys, 233
    - examining customer's cart, 233
    - item number checking, 234
    - quantity\_modified variable,
      - clearing out, 235
      - read and parse form data, 217, 218
      - supporting libraries, loading, 216
        - \_FILE\_ Perl variable, 216, 217
        - \_LINE\_ Perl variable, 216, 217
  - maintaining state, 8
    - tags for Database store, 98, 99
    - tags for HTML store, 77-79
  - Make\_pgp\_file subroutine, PGP interface library, 349, 350
  - matching operators, string manipulation, 381, 382
  - miscellaneous variables
    - Database store, 105
    - HTML store, 85
  - modify form footer, defining in HTML library, 262
  - multiple fields of different types queries,
    - creating, 124, 125
  - multiple text (string) fields queries,
    - creating, 123, 124
- ## N
- NAME attribute, frames interface, 129
  - Netscape Commerce server for NT,
    - running Web store on, 27, 28
  - Netscape Enterprise, running Web store on, 28, 29
  - Netscape Fastrack, running Web store on, 28, 29
  - <NOFRAMES>, 129
  - non-UNIX versions, unpacking Web store, 15
  - nonencrypted orders, setting up
    - maillib.pl for, 173
- ## O
- operating environment
    - defining main script, 205

- cart i.d., assigning unique, 208
- caveats in, 207
- crucial state variables, 207
- incoming data, processing, 206, 207
- secondary supporting libraries, supporting, 206
- security precautions, 207
- keyword search library, 279, 280
  - end of search, 282, 283
  - file must be searched, 284, 285
  - no more fields in current directory, 282
- options
  - Database store, 105-109
    - described, 105
    - product page with, 106
    - Values, 108
  - HTML store, 85-88
    - described, 85
    - i.d. of time option is associated with, 86
    - option flag, 86
    - unique sequence number of option, 86
  - Web store subdirectory, 22
- order form definition variables
  - Database store, 105
  - HTML store, 83, 84
  - Web store setup, 51, 52
    - including data on process\_form level, 53
    - setup variables, defining, 55
    - shipping calculation, 53
- order library, 307
  - calculate\_discount subroutine, 320
  - calculate\_final\_values subroutine, 316-319
  - calculate\_general\_logic subroutine, 320-324
  - calculate\_sales\_tax subroutine, 324, 325
  - calculate\_shipping subroutine, 319, 320
  - compare\_logic\_values subroutine, 325-327
  - display\_calculations subroutine, 310, 311
  - display\_order\_form subroutine, 307-310
  - format\_text\_field subroutine, 312
  - process\_order\_form subroutine, 313-316
- order processing setup, 151
  - components, 151
  - discount calculation, defining, 165
    - additional calculations done after submitting orders, 168
    - calculation order, 165, 166
    - calculations done at different times, 167
    - calculations done at the same time, 166, 167
    - numeric variable considerations, 165
    - specifying calculations, 165
  - discount logic, defining, 169
    - as percentage of subtotal, 170
    - dependent on measure quantity, 172
    - dependent on shipping type, 170, 171
    - dependent on zip code and shipping type, 171, 172
    - independent of form variables, 169
    - summary, 172, 173
- mail-lib.pl, setting up for nonencrypted orders, 173
- nonencrypted orders, setting up mail-lib.pl for, 173
- outlet order form, 153
  - basic information in, 153
  - code listing, 154-157
  - importance of, 151, 152
  - <INPUT> submit button, 157
  - shopping cart, displaying information, 152

- sales tax, defining, 165
    - additional calculations done after submitting orders, 168
    - calculation order, 165, 166
    - calculations done at different times, 167
    - calculations done at the same time, 166, 167
    - numeric variable considerations, 165
    - specifying calculations, 165
  - server considerations, Windows NT and Windows 95, 173-175
  - setup file
    - fields within, 158
    - number definition caveat, 159
    - prefixed numbers, 158
    - shipping logic, criteria value, 161-163
    - shipping logic, variables
      - determining, 159-161
      - variables code listing, 163, 164
  - shipping calculation, defining, 165
    - additional calculations done after submitting orders, 168
    - calculation order, 165, 166
    - calculations done at different times, 167
    - calculations done at the same time, 166, 167
    - numeric variable considerations, 165
    - specifying calculations, 165
  - shipping logic, defining, 169
    - as percentage of subtotal, 170
    - dependent on measure quantity, 172
    - dependent on shipping type, 170, 171
    - dependent on zip code and shipping type, 171, 172
    - independent of form variables, 169
    - summary, 172, 173
    - Windows 95 server considerations, 173-175
    - Windows NT server considerations, 173-175
  - ordering over the Internet, problems in, 178
  - outlet order form, order processing setup, 153
    - basic information in, 153
    - code listing, 154-157
    - importance of, 151, 152
    - <INPUT> submit button, 157
    - shopping cart, displaying information, 152
  - output modify quantity form, main script, 232
- ## P
- parsing strings
    - JavaScript extensions, 140
    - VBScript extensions, 146
  - passing
    - by reference, 296
    - by value, 296
  - pattern matching with //, string manipulation, 381
  - PERL, counting fields, 113
  - Perl, 361. *See also* CGI programming techniques in Perl
    - library, ending, 68
    - locating, shopping cart set up, 30-32
    - version and current working directory, setup checking script, 338, 338
  - permissions, shopping cart, setting up, 16
    - CGI applications, 17
    - chmod 777, use of, 18
    - installation failure and, 19
    - security concerns, 18
    - types of, 16
    - UNIX command for, 16
  - PGP (Pretty Good Privacy)
    - interface library, 347

- Make\_pgp\_file subroutine, 349, 350
  - variables, 348
  - setting up for secure order emailing, 183
    - data, logging into file, 183
    - described, 183, 184
    - private key PGP receiver, setting up, 185-191
    - private keys, use of, 184, 185
    - public-key PGP sender, 191-194
    - public-key PGP sender files, setting up on Web server, 194, 195
    - public keys, use of, 184, 185
  - Pgpfiles, Web store subdirectory, 25
  - pipe symbol (|), Database store, 93
  - polymorphic variables, JavaScript extensions, 142
  - pop function, list arrays, 374
  - price range queries, creating, 121, 122
  - print function, string manipulation, 362, 363
  - printf function, string manipulation, 365-367
  - Pretty Good Privacy. *See* PGP
  - private key PGP receiver, setting up secure shopping, 185-191
  - private keys, use of in secure shopping, 184, 185
  - process\_order\_form subroutine, order library, 313-316
  - product pages
    - creating dynamically generated from database, 239
    - checking page display, 240
    - database rows, displaying, 241
    - formatting fields, 243
    - querying database for incoming product variable value, 241
    - printing database fields to browser, 242
  - Database store, 94
    - described, 22, 23
    - HTML library
      - creating, 259, 260
      - header, creating, 257, 258
    - list of, 22, 23
    - store management, 4
  - products
    - defining with database definition variable/datafile
      - data type of filed, 103
      - date file, described, 99, 100
      - fields, counting of, 101
      - form variable name, 102
    - index into database that criteria applies, 102
    - NAME value, interpreting, 100
    - operator for comparison, 102, 103
    - pipe characters, 100
    - Web store subdirectory, 22
  - public-key PGP sender, secure shopping, 191-194
  - public-key PGP sender files, setting up on Web server, 194, 195
  - public keys, use of, 184, 185
  - push function, list arrays, 374
- ## Q
- qq!
    - JavaScript extensions, 144
    - VBScript extensions 150
  - ~qq~
    - changing to double quote, 227
    - Database store, 100
  - qq custom quote delimiter feature
    - string manipulation, 365
    - Web store setup, 63-65
      - application-specific subroutines, 65-67
      - individual routines, 65
      - inter-application libraries, 67-69
  - queries, creating in Query-driven

- Database store, 118
- data range, 122, 123
- exact value, 120, 121
- general keyword, 118, 119
- price range, 121, 122
- multiple fields of different types, 124, 125
- multiple text (string) fields, 123, 124
- single product category, 119, 120
- Query-driven Database store
  - configuring Database to Query-driven store, 111, 112
  - cosmetic changes to setup file, 116-118
  - database-related changes to setup file, 113
  - data types, 114
  - operators, working exceptions, 115
  - PERL, counting fields in, 113
  - query criteria array structure, 115
  - string equality matches, 115, 116
- Database store, similarities with, 111
- described, 111
- queries, creating, 118
  - data range, 122, 123
  - exact value, 120, 121
  - general keyword, 118, 119
  - price range, 121, 122
  - multiple fields of different types, 124, 125
  - multiple text (string) fields, 123, 124
  - single product category, 119, 120
- setup file, changes to, 112-116

## R

- read and parse form data, 217, 218
- real\_send\_mail\_subroutine, email library, 351, 352
- recursive frames, 133
- regular expressions, string manipulation,

380

Require command, 292

## S

- sales tax, defining in order processing
- setup, 165
  - additional calculations done after submitting orders, 168
  - calculation order, 165, 166
  - calculations done at different times, 167
  - calculations done at the same time, 166, 167
  - numeric variable considerations, 165
  - specifying calculations, 165
- scalar variables, CGI programming
  - techniques in Perl, 367-369
  - cropping using chop function, 369, 370
  - dot (.) operator, 369
  - length, finding, 370
  - substrings, manipulating, 370, 371
- script, submitting information to, 78
- search
  - examples, Web store setup
    - general keyword search, 47, 48
    - multiple search for different keywords, 48-50
    - product category search including term within URL, 48
    - search criteria, 49
  - hits, displaying in keyword search library, 285, 286
  - performing, keyword search library, 280. *See also* keyword search
  - variables, HTML store, 83
    - and* methodology, 84
    - list of hits page, 85
    - vs. Databases-search engine, 83
- secure shopping setup
  - caveats in, 177, 178
  - overview, 177

- PGP, setting up for secure order emailing, 183
  - data, logging into file, 183
  - described, 183, 184
  - private key PGP receiver, setting up, 185-191
  - private keys, use of, 184, 185
  - public-key PGP sender, 191-194
  - public-key PGP sender files, setting up on Web server, 194, 195
  - public keys, use of, 184, 185
- problems ordering over the Internet, 178
- SSL and other secure protocols, using, 179
  - cost considerations, 180, 181
  - enabling secure server processing, 181, 182
  - support for, 179
  - third party, caveats in using, 179
  - Web server, network diagram of physically separate, 180
- Secure Sockets Layer. *See* SSL
- security. *See also* secure shopping
- setup
  - permissions setup, 18
  - store management, 7
- send\_mail subroutine, email library, 351
- server considerations, order processing setup, 173-175
- setup checking script, 337
  - check\_path subroutine, 342-344
  - get\_path\_from\_full\_filename subroutine, 345
  - global variable definition and setup, 337, 338
  - HTMLDie subroutine, 344, 345
  - HTMLMsg subroutine, 344
- Perl version and current working directory, 338, 338
- setup file
  - checking, 339, 340
  - loading, 339, 340
  - variables, checking, 340, 341
- setup files
  - customizing, Database store, 95
  - JavaScript changes to, 138-144
  - order processing, fields within, 158
    - number definition caveat, 159
    - prefixed numbers, 158
    - shipping logic, criteria value, 161-163
    - shipping logic, variables
  - determining, 159-161
    - variables code listing, 163, 164
  - setup checking script
    - checking, 339, 340
    - loading, 339, 340
    - variables, checking, 340, 341
- VBScript changes to, 144-150
- Web store setup, 39
  - Database, 40
  - Frames store, 40
  - HTML, 39
  - JavaScript store, 40
  - Query-based table display, 40
  - selecting files for use, 41
  - similarities in, 41
  - VBScript store, 40
- shift function, list arrays, 374
- shipping
  - calculation, Web store setup, 53
  - defining in order processing setup, 165
    - additional calculations done after submitting orders, 168

- calculation order, 165, 166
- calculations done at different times, 167
- calculations done at the same time, 166, 167
- numeric variable considerations, 165
- specifying calculations, 165
- logic, defining in order processing setup, 169
  - as percentage of subtotal, 170
  - dependent on measure quantity, 172
  - dependent on shipping type, 170, 171
  - dependent on zip code and shipping type, 171, 172
  - independent of form variables, 169
  - summary, 172, 173
- self-referencing script, 210
- shopping cart (applications)
  - benefits of, 2
  - described, 1, 2
  - programming considerations, 2
  - shopping, customer perspective, 7-9
    - maintaining state, 8
  - store management, vendor, 3
    - considerations, 4, 5
    - error logging, 6
    - product pages, 4
    - security, 7
    - visitor tracking, 6
- shopping cart, main script
  - adding to, 224-231
    - appending ordered items to `$cart-row`, 230
    - associative array key, 224
    - cost changes due to options, calculating, 229
    - counter subroutine, 230
    - error reporting, handling, 231
    - `~gt~`, changing to greater than sign, 227
    - incoming items for non-processing, 225
    - `~lt~`, changing to less than sign, 227
    - modifying times with options applied, 227
    - option information, 225
    - `~qq~`, changing to double quote, 227
    - quantity value conditions, 226
    - variables, clearing out for use, 227
  - assigning, 220
    - checking existing cart list, 222
    - creating cart, 223
    - Key function, 221
    - i.d. number, creating unique for cart, 222, 223
  - deleting
    - items from cart, 236-238
    - old carts, 219, 220
  - quantity of cart item items, modifying, 232
    - creating array of valid keys, 233
    - examining customer's cart, 233
    - item number checking, 234
    - `quantity_modified` variable, clearing out, 235
- shopping cart, setting up
  - downloading script, 13
  - IIS for NT, running Web store on, 29, 30
  - Netscape Commerce server for NT, running Web store on, 27, 28
  - Netscape Enterprise, running Web store on, 28, 29
  - Netscape Fastrack, running Web store on, 28, 29
  - Perl, locating, 30-32
  - permissions, setting up, 16
    - CGI applications, 17
    - `chmod 777`, use of, 18
    - installation failure and, 19
    - security concerns, 18
    - types of, 16

- UNIX command for, 16
  - script, running, 32, 33
  - unpacking the application
    - non-UNIX versions, 15
    - UNIX web servers, 14
    - Windows NT version, 14
  - Web store, files and directories, 20
    - directory structures, 20-26
    - Web store, using, 33, 34
      - browsing online catalog, 34, 35
      - cart contents management, 35, 36
      - order sending, 36-38
    - WebSite server for NT, running
      - Web store on, 29
    - Windows 95, installing CGI scripts on, 26
    - Windows NT
      - installing CGI scripts on, 26
      - tasks for, 26, 27
  - single product category queries, creating, 119, 120
  - split function, string manipulation, 384, 385
  - sprintf function, string manipulation, 365-367
  - SRC attribute, frames interface, 129
  - SSL and other secure protocols, using in
    - secure shopping setup, 179
    - cost considerations, 180, 181
    - enabling secure server processing, 181, 182
    - support for, 179
    - third party, caveats in using, 179
    - Web server, network diagram of
      - physically separate, 180
  - standard page header, defining in
    - HTML library, 261
  - statement blocks, control structures, 385
  - store management, 3
    - considerations, 4, 5
    - error logging, 6
    - product pages, 4
    - security, 7
    - visitor tracking, 6
  - store option variables
    - Database store, 104
    - HTML store, 83
    - Web store setup, 56-58
  - string modifiers, string manipulation, 383, 384
  - strings, CGI programming techniques in
    - Perl, 378
    - =~ operator, 384
    - anchors, 382, 383
    - equality operators, 378-380
    - join function, 284, 285
    - matching operators, 381, 382
    - pattern matching with //, 381
    - regular expressions, 380
    - split function, 384, 385
    - string modifiers, 383, 384
    - web browser, sending text to, 362
      - here documents, 363-365
      - print function, 362, 363
      - printf function, 365-367
      - qq, 365
      - sprintf function, 365-367
  - Submit button, graphical, 210
  - submit\_query subroutine, Database search library, 293-296
  - subroutine
    - definitions, placing in scripts, 66
    - local variable, use within, 67
    - subroutines, JavaScript and VBScript, 138
  - supporting libraries, loading, 216
- ## T
- TAR (Tape ARchive), 15
  - tax. *See* sales tax
- ## U
- UNIX
    - command for permissions setup, 16
    - web servers, unpacking Web store, 14
  - UNIX CD-ROM specifics, 357
    - assumptions, 358

- installation, 357, 358
- unless control statement, control structures, 386, 387
- unshift function, list arrays, 374
- User\_carts, Web store subdirectory, 25, 26

## V

- VBScript extensions
  - described, 135, 136
  - using, 136, 137
    - events, 137, 138
    - subroutines, 138
- VBScript setup file, changes to, 144-150
  - parsing strings, 146
  - qq!, 150
- virtual servers, Web store setup, 42
- Virtual Vineyards, 1
- visitor tracking, store management, 6

## W

- Web server. *See also* server
  - setting up public-key PGP sender files on, 194, 195
- Web store, 1
  - browsing online catalog, 34, 35
  - cart contents management, 35, 36
  - order sending, 36-38
  - using, 33, 34
- web\_store\_check\_setup.cgi, using, 61, 62
- Web store, files and directories, 20
  - directory structure, overview, 20
    - Admin\_files subdirectory, 21
    - Data\_files subdirectory, 21
    - HTML subdirectory, 21, 22
    - Images subdirectory, 22
    - Library subdirectory, 24, 25
    - Options subdirectory, 22
    - Pgpfiles subdirectory, 25
    - Products, subdirectory, 22
    - User\_carts subdirectory, 25, 26
  - frames setting up to use, 129-133
    - backend considerations, 129
- Web store, setup
  - cart definition variables, described, 50
  - case examples
    - general keyword search, 47, 48
    - multiple search for different keywords, 48-50
    - product category search including term within URL, 48
    - search criteria, 49
  - database definition variables
    - described, 44
    - field data type, 47
    - form variable name, 46
    - index into the database, 46
    - listed, 45, 46
    - operator for comparison, 46, 47
  - error message variables, 59
  - global file location variables, 41-44
    - changing values, 42
    - virtual servers and, 42
  - HTML library
    - routines, 69-71
    - understanding, 63
  - HTML search variables, 58
  - miscellaneous, variables, 59, 60
  - order form definition variables, 51, 52
    - including data on process\_form level, 53
    - setup variables, defining, 55
    - shipping calculation, 53
  - precautionary measures, 63
  - qq custom quote delimiter feature, 63-65
    - application-specific subroutines, 65-67
    - individual routines, 65
    - inter-application libraries, 67-69
  - setup files, 39
    - Database, 40

- Frames store, 40
- HTML, 39
- JavaScript store, 40
- Query-based table display, 40
- selecting files for use, 41
- similarities in, 41
- VBScript store, 40
- store option variables, 56-58
- web\_store\_check\_setup.cgi, using, 61, 62
- WebSite server for NT, running Web store on, 29
- while loop, control structures, 387
- Windows 95
  - CD-ROM specifics, 358
    - assumptions, 359
    - installation, 358, 359
    - README.95, 360
  - installing CGI scripts on, 26
  - server considerations, order processing setup, 173-175
- Windows NT
  - CD-ROM specifics, 358
    - assumptions, 359
    - installation, 358, 359
    - README.NT, 360
  - installing CGI scripts on, 26
  - server considerations, order processing setup, 173-175
  - tasks for, 26, 27
  - unpacking Web store, 14

